

GARAGE DOORS



More comfort and security

M.K.Door garage doors will impress you with advanced design, complete comfort and modern technology, choice and quality guarantee.



Door panels are made of two metal sheets that are filled with the top quality foam insulation to make the door leaf considerably stable, ensure higher heat resistance and longer lifetime.



Garage doors open vertically upwards and are placed under the ceiling to save space inside and outside of the garage. This construction allows you to fully use space inside and outside garage. Sectional garage doors may be installed in any garage thanks to a wide choice of different lifting mechanisms.



M.K.Door manufactures garage doors using top quality materials. The quality of the door construction and safety has been tested by the Swedish National control and research institute. The doors comply with the requirements of the European Standard 13241-1.

safety equipment



The doors are produced in compliance with the CE requirements to prevent the door from slamming closed on fingers or dropping if the rope or the spring fails.



Torsion spring device prevents doors from falling after torsion spring crack.



Cable break device prevents door from falling in case of cable rupture.

Good reasons to try M.K.Door garage doors.

RIPO design
line panels

Traditional
panels

1. Perfectly shaped sections for elegant appear-


2. Invisible section transitions.

3. Exact, consistent spacing of sections.





4. Finger pinch protection.





5. New technology to ensure strong attachment of the hinge to the panel.



6. Anodized panel bottom profile as a design element with corrosion protection.

Over 20 years of continuous experience

available in the following colours:



garage door accessories



window



fully glazed section



stainless steel deco glazing



cylinder lock



cylinder lock



cylinder lock combination with Handle



handle



handle



ventilation grill



wicket door



slide bolt

garage door openers



Comfort 360, 370 and 380 - our highlight in white.

For very special requirements. The patented blue line technology reduces energy consumption to a minimum, while the innovative speed function moves the door at high speed. Modern LED lighting makes for maximum brightness in the garage.

Travel speed – Comfort 370 – max. 235 mm/s; Comfort 360 - 220 max. mm/s;
 Comfort 380 - 180 max. mm/s.
 Power consumption in stand-by – 0.6W.



Comfort 200 series - leaves nothing to be desired

Our Comfort 260, 270 and 280 garage door openers are real classics. Now in their fifth generation, they still continue to impress with their door-friendly control, and their resulting long life and energy efficiency. Classic lighting has now been superseded by modern LED technology.

Travel speed – 160m/s
 Power consumption in stand-by – 4W.



Photocells - are an additional way of securing garage doors. Ideally protect from collision damage. Recommendable for families with children.



Radio hand transmitters

Offering different functions, such as for controlling several doors and gates with one hand transmitter.



Back Up Battery

In case of power supply failure allows to open/close garage door approximately 5-7 times.



Universal receiver

Allows to control other devices like lighting and other-brand openers.

gates



Sliding gates with operator



Swing gates with operator



ENTRANCE GATES

