

GARAGE DOORS



More comfort and security

RIPO garage doors will impress you with advanced design, complete comfort and modern technology, choice and quality guarantee.



Door panels are made of two metal sheets that are filled with the top quality foam insulation to make the door leaf considerably stable, ensure higher heat resistance and longer lifetime.



Garage doors open vertically upwards and are placed under the ceiling to save space inside and outside of the garage. This construction allows you to fully use space inside and outside garage. Sectional garage doors may be installed in any garage thanks to a wide choice of different lifting mechanisms.



safety equipment

The doors are produced in compliance with the CE requirements to prevent the door from slamming closed on fingers or dropping if the rope or the spring fails.



Torsion spring device prevents doors from failing after torsion spring crack.




Cable break device prevents door from failing in case of cable rupture.

Good reasons to try RIPO garage doors.



Since it's founded in 1993, RIPO International has become one of the leading garage doors manufacturers in Latvia. The company's potential and key to success is its professional approach to manufacturing of garage doors.







garage door accessories





fully glazed section



stainless steel deco glazing



cylinder lock

window



cylinder lock



handle



handle



cylinder lock combination with Handle



ventilation grill



wicket door



slide bolt

garage door openers



Comfort 360, 370 and 380 - our highlight in white.

For very special requirements. The patented blueline technology reduces energy consumption to a minimum, while the innovative speed function moves the door at high speed. Modern LED lighting makes for maximum brightness in the garage.

Travel speed - Comfort 370 - max. 235 mm/s; Comfort 360 - 220 max. mm/s; Comfort 380 - 180 max. mm/s.

Power consumption in stand-by - 0.6W.



Comfort 200 series - leaves nothing to be desired

Our Comfort 260, 270 and 280 garage door openers are real classics. Now in their fifth generation, they still continue to impress with their door-friendly control, and their resulting long life and energy efficiency. Classic lighting has now been superseded by modern LED technology.

Travel speed - 160m/s Power consumption in stand-by - 4W.



Photocells - are an additional way of securing garage doors. Ideally protect from collision damage. Recommendable for families with children.



Radio hand transmitters Offering different functions, such as for controlling several allows to open/close garage doors and gates with one hand transmitter.



Back Up Battery In case of power supply failure door approximately 5-7 times.



Universal receiver Allows to control other devices like lighting and other-brand openers.

gates



Sliding gates with operator





Swing gates with operator





ENTRANCE GATES



